

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

ure
P
ll

THE PLANT DISEASE REPORTER

Issued By

PLANT DISEASE EPIDEMICS
and
IDENTIFICATION SECTION

AGRICULTURAL RESEARCH SERVICE
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 236

LIBRARY
CURRENT RECORD
INDEX TO SUPPLEMENTS 231-235, 1955

★ AUG 20 1955 ★

U. S. DEPARTMENT OF AGRICULTURE

Supplement 236

~~Issued July 15, 1956~~



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Plant Disease Epidemics and Identification Section serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

PLANT DISEASE REPORTER SUPPLEMENT

Issued by

PLANT DISEASE EPIDEMICS AND IDENTIFICATION SECTION

INDEX TO PLANT DISEASE REPORTER
SUPPLEMENTS 231-235, 1955

Compiled by Nellie W. Nance

Horticultural Crops Research Branch
Supplement 236

Plant Industry Station, Beltsville, Maryland
Index to Supplements, 1955

LIST OF SUPPLEMENTS

- Supplement 231. Tomato late blight: Its world distribution and present status. pp. 1-91. April 30, 1955. By Paul R. Miller and Muriel J. O'Brien. This includes a table of contents and general index.
- Supplement 232. Check list of the diseases of grasses and cereals in Alaska. pp. 93-102. May 30, 1955. By Roderick Sprague. Host Index.
- Supplement 233. Fifth revision of the international register of physiologic races of Puccinia rubigo-vera (DC.) Wint. f. sp. tritici (Eriks.) Carleton = (Puccinia triticina Erikss.). pp. 103-120. October 15, 1955. By C. O. Johnston and M. N. Levine. This includes an analytical key for the identification of physiologic races of P. rubigo-vera determined on the basis of their parasitic behavior on differential varieties of Triticum vulgare.
- Supplement 234. Systemic chemicals. pp. 121-134. November 15, 1955. Papers presented at the Wooster meeting, North Central Division, American Phytopathological Society, Wooster, Ohio. See its table of contents and the author index below.
- Supplement 235. Some new and important plant disease occurrences and developments in the United States in 1954. pp. 135-175. December 15, 1955. Compiled by Nellie W. Nance.

AUTHOR INDEX

- ALTHAUS, RALPH W., (132)
- BRAGONIER, W. H., 133
 BRANDES, GORDON A., 125
 BRANDT, WILLIAM H., 132
 BROCE, WILLIAM, 130
- DAVIDSON, J. H., 127
- GUENGERICH, H. W., (131)
- HARRY, JOHN B., 133
 HOWARD, F. L., (126)
- JOHNSTON, C. O., 104
- KRAUSS, W. E., 123
- LEVINE, M. N., (104)
 LOCKWOOD, JOHN L., 124
- LOEGERING, W. Q., 126
- MILLER, PAUL R., 3
 MILLIKAN, D. F., (130), 131
- NANCE, NELLIE W., 136
- O'BRIEN, MURIEL J., (3)
- PHILIPS, R. F., 128
- SHURTLEFF, M. C., 126
 SMITH, J. E., Jr., (130)
 SPRAGUE, RODERICK, 94
 SWARTWOUT, H. G., 131
- TROLL, J., (126)
- YOUNG, H. C., 123

SUBJECT INDEX

- Acer spp.: Phyllosticta leaf spot, 164
 --- negundo: red stain, Fusarium
 negundinis associated, 164
 Aceria tulipae, 154
 Acti-dione, 152
 Africa, 20
 Agrimycin, 158, 172
 Agrobacterium tumefaciens, 147
 Agropyron spp.: crown rust, 155;
 diseases in Alaska, 95
 --- cristatum: dwarf bunt, 1st rept.
 on this host in North America
 (Idaho, Oregon), 144
 --- desertorum: dwarf bunt, 1st rept.
 on this host (Idaho, Oregon), 144
 --- intermedium: dwarf bunt, 153
 --- sibiricum: dwarf bunt, 1st rept.
 on this host (Idaho), 144
 Agrostis spp.: diseases in Alaska, 95;
 nematodes associated with yellow
 tuft of bentgrass, 155
 Alabama, 145
 Alaska, 94, 155
 Aleurites fordii: thread blight, 158
 Alfalfa: Leptosphaeria pratensis, 1st
 rept. from Iowa, 140; Phytophthora
 root rot, 156; Pratylenchus sp.,
 156
 Allium spp.: rust, 169
 Almond: powdery mildew, 159; scab,
 159
 Alnus glutinosa: Valsaria megalospora,
 1st rept. on this host in this country
 (Oreg.), 149
- Alopecurus spp.: diseases in Alaska, 96
 --- pratensis: leaf spot, Mastigosporium
 album, 1st rept. on this host in this
 country (N. Y.), 145
 Alternaria tomato, 171
 Ammonium nitrate, 167
 Anthracnose, of cucumber, 170; of
 Platanus spp., 165; of Trifolium
 pratense, 156.
 ---, spot, of Ilex cornuta, 146
 Antibiotics, as systemic fungicides, 124
 "Anticarie", 153
 Aphis gossypii, 163
 Apple: cedar rust, acti-dione for control
 of, 131; fire blight, 158; powdery
 mildew, 158
 Apricot: ring pox (virus), 159
 Arasan, 155
 Arctagrostis spp.: diseases in Alaska, 96
 Arctophila fulva: diseases in Alaska, 96
 Arizona, 142, 147, 154, 169, 173
 Arkansas, 143, 158, 170
 Arrhenatherum elatius: dwarf bunt, 153
 Ascochyta hordei, 140
 Asia, 31
 Asparagus: die-back, 169; Fusarium
 wilt, 169; grey mold, 169
 Aspergillus flavus, 166
 --- niger, 166
 Australasia and Pacific Ocean areas, 39
 Australia, 104
 Avena sativa: diseases in Alaska, 96
- B-622, 161

- BB/LML/20, 151
 Bacterial blight, of bean, 173; cotton, 167
 --- canker, of blueberry, 160; tomato, 171
 --- soft rot, of spinach, 175
 --- spot, of pepper, 170, 172; tomato, 172
 --- ---, canker, of peach, 160
 --- stem and leaf spot, of *Pelargonium hortorum*, 163
 --- streak, of *Narcissus* sp., 147
 --- wilt, of chrysanthemum, 162
Bacterium stewartii, 154
Baldulus maidis, 154
 Barley: *Ascochyta hordei*, 1st rept. from West Virginia, 140; loose smut, 152; root rot, 152; stripe mosaic virus, 152
 Bean: bacterial blight, 173; blight, 128, 173; curly top (virus), 169; *Fusarium* root rots, 173; halo blight, 173; mosaic virus, 173; root rot, 173; rust, 173; yellow bean mosaic (virus), 173
 --- lima: downy mildew, 173; wrinkled seed coat, 173
Beckmannia syzigachne: *Erysiphe graminis* in Alaska, 96
 Beet, sugar, see sugar beet
 Begonia: *Thielaviopsis* root rot, 161
 Bermuda: West Indies: Caribbean region, 59
 Black heart, of celery, 169
 --- leg, of potato, 174
 --- mold, of carrot, 150; *Cryptomeria japonica*, 164; *Ilex opaca*, 164; *Juniperus virginiana*, 164; of rose, 164; *Thuja occidentalis*, 154
 --- patch, of *Trifolium pratense*, 157
 --- root, of cauliflower, 169
 --- rot, of cabbage, 169
 --- shank, of tobacco, 167
 Blast, of *Eremochloa ophiuroides*, 145
 Blight, of bean, 128, 173; *Castanea dentata*, 164; sweetgum, 164
 Blossom blast and twig dieback, 160
 --- and twig blight, of blueberry, 160
 Blossom-end rot, of tomato, 172
 Blue mold, of tobacco, 132, 167
 Blueberry: bacterial canker, 160; blossom and twig blight, 160
 Boll rot, of cotton, 166
 Bordeaux mixture, 161
Botryosphaeria ribis var. *chromogena*, 141
Botrytis spp., 169
 --- cinerea, 160, 161, 169, 171
 --- diseases, of *Gladiolus*, 162
 --- ricini, 161
Bremia lactucae, 171
Bromus spp.: brown leaf spot, 155; diseases in Alaska, 96
 Broomrape, see *Orobanche*
 Brown leaf spot, of *Bromus* spp., 155
 --- rot, of peach, 159
 (Brown) spot, of lettuce, 171
 Cabbage: black rot, 169; downy mildew, 169; yellows, 169
Caladium bicolor: soft rot, 161
Calamagrostis spp.: diseases in Alaska, 97
 California, 142, 148, 150, 154, 156, 157, 159, 161, 163, 166, 167, 168, 169, 171, 172, 173
Calluna vulgaris vars. *alba* and *aurea*:
Phytophthora root rot, 164
 Camellia spp.: flower blight, 162; unsuitable soil, unsatisfactory drainage and irrigation, 162; variegation (virus), 162
 Canada, 104, 155, 172
 Candicidin, 159, 173
Candida intermedia, 168
 Cantaloupe: downy mildew, 170; *Fusarium* wilt (*F. oxysporum* f. *melonis*), 1st rept. from North Carolina, 143
 Captan, 161
 Carnation: wilt, chemotherapeutic control of, 130
Carneocephala fulgida, 161
 Carrot: black mold, 1st rept. on this host (Calif.), 150
Cassia tora: strains of tobacco etch virus, 155
Castanea dentata: blight, 164
 Castorbean, see *Ricinus*
 Cauliflower: black root, 169
 Cedar rust, of apple, 131
 Celery: black heart (calcium deficiency), 169; *Paratylenchus hamatus*, 169
 Central America, 54
Ceratostomella ulmi, 166
Cercis canadensis: dieback (*Botryosphaeria ribis* var. *chromogena*), 1st rept. from West Virginia, 141
Cercospora kikuchii, 156
 --- lathyrina, 140
 --- loti, 144
 --- penniseti, 155
Cercospora herpotrichoides, 140, 152
 Ceresan M, 151, 162
Chaetomium spp., on potato, 174
Chalaropsis thielavioides, 164
Chamaecyparis lawsoniana vars. *allumi* and *elwoodi*: *Phytophthora* root rot, 164
 Charcoal rot, of *Ricinus communis*, 148, 168
 Check list of the diseases of grasses and cereals in Alaska. Suppl. 232, pp. 93-102
 Chemical cereal rust control project, of U.S.D.A., 126
 Chemotherapeutic control, of carnation wilt, 130
 Cherry, sweet: rasp leaf (virus), 1st rept. from New Mexico, 141
 Chloranil (Spergon), 169

- Chlorobromopropene, 172
 Chlorophenyl methyl-rhodanine, 171
 Chlorosis and dieback: of *Gerbera jamesonii*, 146; *Senecio cruentus*, 145
 Chrysanthemum: bacterial wilt, 162; blight injury (tomato aspermy virus), 162; ringspot (virus), 1st rept. on this host (Ala.), 145
 Cineraria (see also *Senecio*): *Thielaviopsis* root rot, 161
Cinna latifolia: diseases in Alaska, 97
Circulifer tenellus, 166
 Citrus: damping-off, 157; *Hendersonula toruloidea*, 157; *Penicillium* spp., control with ammonia gas in Calif., 157; *Tylenchulus semipenetrans*, 159
 --- *reticulata*: tristeza virus, 157
Cladosporium sp., 94; on almond, 159
 --- *aecidiicola*, 163
 --- *carpophilum*, 159
 --- *effusum*, 161
 Cocklebur, see *Xanthium*
Colladonus clitellarius, 159, 160
 --- *geminatus*, 156
 --- *montanus*, 156
Colletotrichum fuscum, on *Digitalis lanata*, 166
 --- *lagenarium*, 170
 --- *trifolii*, 156
 Colorado, 150, 152
 Common names used in various countries for late blight, of tomato, 77
 Connecticut, 167, 170, 171
 Copper mallow, see *Sphaeralcea*
 Corn: crown rot, 154; downy mildew, 154; *Gibberella fujikuroi*, 154; *Gibberella zea*, 154; northern leaf blight, 154; Stewart's disease, 154; stunt (virus), 154
Cornus florida: anthracnose (*Elsinoë corni*), 1st rept. from West Virginia, 142
Corticium solani, 169
Corynebacterium michiganense, 171
 Cotton: bacterial blight, 167; boll rot, 166; fluorescent fiber, *Aspergillus flavus*, *A. niger* and *Rhizopus* sp. assoc., 166; *Fusarium* wilt, 166; leaf crumple (virus), 167; *Rhizoctonia solani*, 166; root rot, 166; *Verticillium* wilt, 166
 Covered kernel smut, of sorghum, 152
 Crag 5400, 161
Cronartium coleosporioides, 164
Crotalaria: virus diseases, 157
 --- *spectabilis*: yellow bean mosaic (inoc. expts. 1st rept. on this host in U.S., (Idaho), 144
 Crown and basal stem rot, of wheat, 152
 Crown gall, of *Lippia canescens*, 147
 --- rot, of corn, 154; *Iris*, 163
 --- rust, of *Agropyron* spp., 155; oats, 151
Cryptomeria japonica: black mold, 164
 Cucumber: anthracnose, 170; downy mildew, 170
 Cucurbits: virus diseases, 170
Curvularia spp., 152
 --- *lunata*, 142
 --- *trifolii*, 144
 Cyclamen: *Thielaviopsis* root rot, 161
Cyclamen persicum: root rot (*Thielaviopsis basicola*), 1st rept. from Maryland, 141
Dactylis glomerata: *Claviceps purpurea* in Alaska, 98; dwarf bunt, 1st rept. on this host in U.S., (Oregon), 144
Dahlia sp.: spotted wilt (virus), 162
 Damping-off, of Citrus, 157; tomato, 172
 Delaware, 170, 173
Dematophora necatrix, 159
Deschampsia: diseases in Alaska, 98; *Tilletia cerebrina*, 155
Dianthus caryophyllus: *Pseudomonas caryophylli*, 162
Diaporthe phaseolorum var. *sojae*, 156
 Dichlone, 171
 Die-back, of asparagus, 169; of *Liriodendron tulipifera*, 149
Digitalis lanata: *Colletotrichum fuscum*, 166; tobacco mosaic virus, 166
Diplodia natalensis, 141
Diplodina persicae, 159
 Diseases, of cereal crops, 151; forage and cover crops, 154; fruit crops, 157; nut crops, 161; ornamental and miscellaneous plants, 161; shrubs and trees, 164; vegetable crops, 168
 Distribution by countries of tomato late blight in 1954, 91
 Dithane, 167
 Dowicide B, 162
 Downy mildew, of cabbage, 169; cantaloupe, 170; corn, 154; cucumber, 170; grape, 131; lettuce, 171; lima bean, 173; radish, 174
Draeculacephala minerva, 161
 Dryland root rot, of wheat, 152
Dupontia sp.: diseases in Alaska, 98
 Dutch elm disease, of *Ulmus* spp., 166
 Dwarf bunt, of *Agropyron* spp., 144; *Dactylis glomerata*, 145; of Gramineae, 153; of grasses, 155; wheat, 153
 Eggplant: *Heterodera rostochiensis*, 174; *Verticillium* wilt, 174
Elsinoë corni, 142
Elymus spp.: diseases in Alaska, 98
Endoconidiophora fagacearum, 133, 165
Endothia parasitica, 164
 England, 158
Entomosporium maculatum, 148
Eremochloa ophiuroides: blast, 1st rept.

- on this host in U. S., (Florida), 145
- Erica carnea*: *Phytophthora* root rot, 164
- Erwinia amylovora*, 124, 128, 158, 160
- *atroseptica*, 174
- *chrysanthemi*, 162
- Erysiphe cichoraceum*, 147, 148, 171
- *graminis tritici*, 152
- Ethiopia, 104
- Ethylene dibromide, fungicidal value when used as a soil fumigant, 127
- Euphorbia pulcherrima*: *Thielaviopsis* root rot, 161
- Europe, 4
- Fasciation of root, of *Ilex glabra*, 163
- Festuca* spp.: diseases in Alaska, 98
- Ficus carica*: thread blight, 157
- Fiebertiella florii*, 156
- Fifth revision of the international register of physiologic races of *Puccinia rubigovora* (DC.) Wint. f. sp. *tritici* (Eriks.) Carleton = (*P. triticina* Erikss.) Suppl. 233, pp. 103-120
- Filipin, 172
- Fire blight, of apple, 158; pear, 160
- Florida, 144, 145, 148, 150, 154, 156, 157, 162, 163, 167, 168, 169, 171, 172, 173, 174, 175
- Flower blight, of *Camellia* spp., 162
- Forecasting decay in storage grapes, 161
- Fraxinus* spp.: rust, 164
- Fruit rot, of watermelon, 170
- Fungicides: antibiotics as systemic, 124; for Merion bluegrass rust control, 126; and oak wilt, 133; systemic, methods in evaluating, 133
- Fusarium* spp., 127, 152
- brown rot, of *Gladiolus* spp., 162
- *lateritium*, 149
- *moniliforme*, 168
- *negundinis*, 164
- *nivale*, 155
- *oxysporum*, 157
- --- f. *asparagi*, 169
- --- f. *conglutinans*, 169
- --- f. *dianthi*, 130
- --- f. *gladioli*, 162
- --- f. *lycopersici*, 171
- --- f. *oxysporum* f. *vasinfectum*, 166
- root rots, of bean and pea, 173
- "roseum", 157
- *solani*, 173, 157
- ---, of *Parthenium argentatum*, 168
- wilt, of asparagus, 169
- Germany, 104
- Ghost spot, of lettuce, 171
- Gibberella fujikuroi*, 154
- *zeae*, 154
- Gladiolus* spp.: *Botrytis* diseases, 162; *Curvularia lunata*, 1st rept. from California, 142; *Fusarium* brown rot, 162; scab, 162; *Stromatinia gladioli*, 162; virus diseases, 163; western aster yellows (virus), 1st rept. from Kansas, 142
- Gliocladium roseum*, on *Trifolium pratense*, 157
- Gloeosporium* sp., on *Paeonia officinalis*, 142
- Glyceria* spp.: diseases in Alaska, 99
- Gnomonia fructicola*, 141
- *veneta*, 165
- Goathead, see *Tribulus*
- Grape: downy mildew, acti-dione for control of, 131; forecasting decay in storage, 161; *Meloidogyne* spp., 161; powdery mildew, 161; *Pratylenchus* spp., 161; virus diseases, 161
- Grasses: dwarf bunt, 155; nematodes, 154; snow mold of turf, 154
- Gray leaf spot, of tomato, 171, 172
- Gray mold, of asparagus, 169; lettuce, 171
- Guayule, see *Parthenium*
- Gymnosporangium*, 131
- Halo blight, of bean, 173
- Helenium hoopesii*: rust, new host, 163
- Helminthosporium* spp., 153
- on oats, 151
- *dictyoides* var. *phlei*, on *Phleum pratense*, 145
- *gossypii*, 166
- *sacchari*, 155
- *sativum*, 152
- *stenospilum*, 155
- *turcicum*, 154
- Hendersonia crastophila*, 94
- *toruloidea*, 157
- Heterodera glycines*, 144
- *marioni*, 171, see also *Meloidogyne incognita*
- *rostochiensis*, on eggplant, 174; on potato, 174
- Hierochloë* spp.: diseases in Alaska, 99
- Hordeum* spp.: diseases in Alaska, 99
- Hordnia circellata*, 161
- Host index, of grasses and cereals in Alaska, 94
- Hydrangea: tomato ring spot virus, 163
- Hydrangea macrophylla*: aster yellows (virus), 1st rept. of this disease in Hydrangea (Oregon), 146
- Hylastinus obscurans*, 156

- Idaho, 144, 173
Ilex aquifolium: *Phytophthora* leaf and twig blight (new disease), Oregon and Washington, 146
 --- *cornuta*: spot anthracnose (new disease), Louisiana, 146
 --- *glabra*: fasciation of roots, 163
 --- *opaca*: black mold, 164
 Illinois, 152, 156, 160, 165, 166
 Internal brown spot, of potato, 175
 Iowa, 140, 152, 155, 156, 165
 Iris: crown rot, 163; *Leptosphaeria heterospora*, 163
 Italy, 104

Jasminum spp.: *Phoma* sp., probably a new sp. (Tex.), 146
Juniperus virginiana: black mold, 164

Kabatiella caulivora, 156
 Kansas, 142, 151, 152, 153
 Kentucky, 156, 167, 168

Laburnum alpinum: *Laburnum* vein-mosaic (proposed name), inoc. expts. (Md.), 149
 Late blight, of cherry tomato, 172; potato, 174; potato and tomato, 172; tomato, common names used in various countries, 77; tomato: its world distribution and present status, pp. 1-91
 Leaf roll, of potato, 175
 --- rust, of wheat, 104, 152
 --- spot, of *Alopecurus pratensis*, 145; *Pennisetum glaucum*, 155; tomato, 150
 --- and stem blight, of summer squash, 170
 Legumes: alfalfa mosaic (virus), 155; chemical seed treatments on nodulation of, 155
Leptodiscus terrestris, 156
Leptosphaeria heterospora, 163
 --- *pratensis*, 140
 Lettuce: big vein (virus), 171; brown spot, 171; downy mildew, 171; ghost spot, 171; gray mold, 171; powdery mildew, 171; tipburn and rib discoloration, 171
Lilium longiflorum: rosette (virus), 163
 Lime paste, for sunburning of watermelon, 170
Lippia canescens: crown gall, 1st rept. on this host (Ariz.), 147; *Meliola* sp., 1st rept. from Arizona, 142; southern blight (*Sclerotium rolfsii*), 1st rept. from Arizona, 142
Liquidambar styraciflua: blight, 164
Liriodendron tulipifera: dieback, new disease (Miss.), 149
 Little leaf, of *Pinus echinata*, 164
 Louisiana, 143, 146, 154, 157, 166, 168, 169, 171
 Loose smut, of barley, 152; wheat, 153

Lotus uliginosus: leaf spot, *Cercospora loti*, 1st rept. on this host in this country (Md., Ga.), 144
Lupinus spp.: powdery mildew, 156
 --- *densiflorus*: yellow bean mosaic (inoc. expts. 1st rept. on this host in U.S., Idaho), 144
Lycopersicon sp. (wild), for tomato disease control, 168

 Maine, 141, 157, 160, 172, 174, 175
Marmor medicaginis, 155
 Maryland, 141, 144, 145, 146, 147, 148, 149, 151, 152, 160, 163, 167, 168, 173, 174
 Massachusetts, 164, 167
Mastigosporium album, 145
Medicago lupulina: yellow bean mosaic (inoc. expts. 1st rept. on this host in U. S., Idaho), 144
Melilotus spp.: yellow bean mosaic (virus) of bean and sweetclover, 173
Meliola sp., on *Lippia canescens*, 142
Meloidogyne spp., 161, 167
 --- *incognita*, of tomato, 171
 MEMA, 151
 Methyl bromide, fungicidal value when used as soil fumigant, 127
 Mexico, 153
 Michigan, 147, 148, 172
Microsphaera diffusa, 156
 Minnesota, 151, 153
 Mississippi, 140, 149, 169, 172
 Missouri, 158, 160, 163
Monilinia fructicola, 159
 Montana, 159, 164
Morus rubra: twig blight and canker, 1st rept. on this host (Miss.), 149
 Mottled brown streaking, of onion, 150
Mycosphaerella tassiana, 94
 --- *tulasnei*, 94
Myzus persicae, 172

 Nabam plus zinc sulfate, 170
 Nailhead spot, of tomato, 171
Narcissus sp.: bacterial streak 1st rept. on this host (Wash.), 147
 Nebraska, 152, 156
 Needle blight, of *Pinus strobus*, 165
 New disease, of strawberry resembling aster yellows virus, 143
 New Hampshire, 164, 169, 172, 173
 New Jersey, 164
 New Mexico, 141, 143, 152, 155, 160, 163, 166, 169, 174
 New South Wales, 104
 New York, 140, 145, 152, 154, 159, 174
 New Zealand, 104
 North America, 64
 North Carolina, 143, 144, 154, 158, 160, 162, 165, 167, 168, 170, 171

- North Dakota, 155
Northern leaf blight, of corn, 154
- O-2, 4 dichlorophenyl O, 155
O-diethyl phosphorothioate, 155
- Oats: blue dwarf and red leaf (virus), 151; crown rust, 151; *Helminthosporium*, 151, seed treatment, 151, *Septoria avenae*, 151; smut, 151; stem rust, 151
- Ohio, 122, 165
Oklahoma, 152, 166
Okra: *Verticillium* wilt, 174
Onion: mottled brown streaking, *Xanthomonas striiformans* Thomas & Weinhold (Colo.), 150
Ontario, 167
Oregon, 140, 144, 146, 147, 149, 155, 160, 161, 163, 164
Orobanche ramosa, on tomato, 172
Oxytetracycline, 162
- Paeonia officinalis*: stem and leaf spot (*Gloeosporium* sp.), 1st rept. from West Virginia, 142
Panogen, 151
Paratylenchus hamatus, 169
Parsnip: *Pythium* root rot, 172
Parthenium argentatum: *Fusarium solani*, 168
Pea: *Fusarium* root rot, 173
---, Austrian winter: *Cercospora lathyrina*, 1st rept. from Mississippi, 140
Peach: apple mosaic (virus), 160; bacterial spot canker, 160; brown rot, 159; *Diplodia natalensis*, 1st rept. from South Carolina, 141; phony peach (virus), 160; scab, 159; storage rot, 159; wart (virus), 160; western X-disease (virus), 160; X-disease virus, 160
Pear: blossom blast and twig dieback, 160; fire blight, 160
Pecan: bunch disease (virus), 1st rept. from New Mexico, 141; scab, 161
Pectinophora gossypiella, 166
Pelargonium hortorum: bacterial stem and leaf spot, 163
Pellicularia filamentosa, see *Corticium solani*
--- --- f. *sasakii*, 154
--- *koleroga*, 157
Penicillium clove rot, of garlic, 169
--- *digitatum*, 157, 169
--- *italicum*, 157
Pennisetum glaucum: leaf spot, 155; rust, *Puccinia penniseti*, 1st rept. in U. S. (Ga.), 145
Pennsylvania, 145, 158, 165, 167, 168
Pentachloronitrobenzene, 169, 174
Pentatrachopus fragaefolii, 158
Pentrete, 151
Pepper: bacterial spot, 170, 172; *Pythium* stem rot and wilt, apparently new, in N. C., 170; red
--- red: curly top (virus), 169
Peronospora parasitica, 169, 174
--- *tabacina*, 132, 167
Persea americana: *Dematophora necatrix*, 159; *Pratylenchus* sp., 159; *Radopholus similis*, 159
Phalaris arundinacea var. *picta*: diseases in Alaska, 100
Phleum spp.: diseases in Alaska, 100
--- *pratense*: *Helminthosporium dictyoides* var. *phlei*, J. H. Graham, in Pennsylvania and other northern States, 145
Phoma sp., on *Jasminum* spp., 146
---, on *Trifolium pratense*, 157
Phygon, 155
Phyllody, of *Trifolium repens* var. *Ladino*, 157
Phyllosticta leaf spot, of *Acer* spp., 164
--- *minima*, 164
Physalospora tucumanensis, 168
Physiology and basic research, role of, 125
Phytophaga destructor, 152
Phytophthora sp., on *Ilex aquifolium*, 146
--- *capsici*, 170
--- *cinnamomi*, 164; on *Chamaecyparis lawsoniana* vars. *allumi* and *elwoodi*, *Taxus baccata*, *Taxus cuspidata*, *Erica carnea*, *Calluna vulgaris* vars. *alba* and *aurea*, 164
--- *cryptogea*, 156
--- *fragariae*, 158
--- *infestans*, 3, 170, 172, 174
--- *parasitica* var. *nicotianae*, 167
--- *phaseoli*, 173
--- root rot, of alfalfa, 156
Pinus echinata: little leaf, 164
--- *ponderosa*: western gall rust, 164
--- *strobis*: needle blight, 165
Piricularia oryzae, 145
Platanus spp.: anthracnose, 165
Pleospora sp., on *Ricinus communis*, 168
--- *herbarum* f. *lactucum* n. f., 171
Poa spp.: diseases in Alaska, 100; rust, 156
Pod and stem blight, of soybean, 156
Podosphaera leucotricha, 158
Polymyxa graminis, 152
Poncirus trifoliata: *Tylenchulus semi-penetrans*, 159
Poria cocos, isolated from many hosts in important timber areas in U.S., 164
Potato: black leg, 174; *Chaetomium* spp., 174; "freckles", strains of virus X associated, 175; *Heterodera rostochiensis*, 174; internal brown spot, 175; late blight, 172, 174; leaf roll (unidentified), 175; scab, 174;

- (Potato) yellow spot (virus), 175
 Pothos aureus: *Rhizoctonia* sp., 163
 Powdery mildew: of almond, 159;
 apple, 158; grape, 161; lettuce,
 171; *Lupinus* spp., 156; *Rosa* spp.,
 131; *Salpiglossis sinuata*, 147;
 strawberry, 158; *Tolmiea menziesii*,
 147; wheat, 152; *Zinnia* spp., 148
Pratylenchus sp(p.), 159, 161; on alfalfa,
 156; blackberry and raspberry, 160
 --- penetrans, 157
Prunus spp.: virus diseases, 159
Pseudomonas sp., on blueberry, 160
 --- caryophylli, 162
 --- marginata, 162
 --- phaseolicola, 128, 173
 --- tabaci, 168
Pseudoperonospora cubensis, 170
Pseudopityophthorus pruinosis, 165
Puccinellia pumila: diseases in Alaska,
 102
Puccinia asparagi, 169
 --- conspicua, 163
 --- coronata, 155
 --- --- avenae, 151
 --- graminis, 156
 --- --- avenae, 151
 --- --- tritici, 152
 --- penniseti, 145
 --- peridermiospora, 164
 --- rubigo-vera f. sp. tritici, 104, 152
 Purple stain, of soybean, 156
Pyrenophora bromi, 155
Phthium sp(p.), 127, 157; on tomato, 172
 --- aphanidermatum, 157
 --- arrhenomanes, 152
 --- debaryanum, 156, 172
 --- root rot, of parsnip, 172
 --- rot, of tobacco, 168
 --- stem rot and wilt, of pepper, 170
Quercus spp.: oak wilt, 165
 Races, of *Puccinia rubigo-vera tritici*,
 key for identification of, 106
 Radish: downy mildew, 174
Radopholus oryzae, 143
 --- similis, 157, 159
 Reaction, of varieties of *Triticum vulgare*
 to physiologic races of *Puccinia*
rubigo-vera tritici, 112
 Red rot, of sugarcane, 168
 --- stain, of *Acer negundo*, 164
 --- stele, of strawberry, 158
Rhaphiolepis indica: *Entomosporium* leaf
 spot, 1st rept. on this host in this
 country (Calif.), 148
 --- umbellata var. integerrima:
Entomosporium leaf spot, 1st rept. on
 this host (Calif.), 148
Rhizobium bacteria, 156
 --- leguminosarum, 174
Rhizoctonia sp., 127; on *Pothos aureus*,
 163; on *Trifolium pratense*, 157
 --- solani, 152, 166, 173
Rhizopus sp., 166
 --- spp., on sweetpotato, 170
 Rhode Island, 154, 155
 Rice: nematodes, 168; *Radopholus oryzae*,
 1st rept. on this host (Tex., La.),
 143
Ricinus communis: charcoal rot, 168;
 charcoal rot, 1st rept. on this host
 (Tex., Fla., S. C., Va., Md.), 148
Pleospora sp., 168; *Synchytrium stem*
 gall disease, 1st rept. on this host
 in this country (Tex.), 148
 Root rot, of barley, 152; bean, 173;
 cotton, 166; *Trifolium pratense*, 156
 Rose: black mold, 164; powdery mildew,
 acti-dione for control of, 131
Rotylenchulus reniformis, 166
Rubus spp.: *Pratylenchus* spp., 160
 --- procerus: mosaic (virus), 160
Ruga verrucosans, 169
 Rust, of *Allium* spp., 169; bean, 173;
 bluegrass, 156; *Fraxinus* spp., 164;
Helenium hoopesii, 163; *Pennisetum*
glaucum, 145
 Rye: *Tilletia caries*, 1st rept. from
 Oregon, 140
Salpiglossis sinuata: powdery mildew, 1st
 rept. on this host (Mich.), 147
 Scab, of almond, 159; *Gladiolus*, 162;
 peach, 159; pecan, 161; potato, 174
Scaphytopius acutus, 156
Scindapsus aureus: *Thielaviopsis* root rot,
 1st rept. in this country on this
 host (Md.), 147; *Thielaviopsis* root
 rot, 161
Sclerophthora macrospora, 154
Sclerotinia camelliae, 162
 --- sclerotiorum, 127, 162
Sclerotium bataticola, 148, 168
 --- --- spp. typica, 168
 --- delphinii, 127
 --- rolfsii, 142, 163, 172
Secale cereale, *Ustilago nuda*, 102
Senecio cruentus: chlorosis and dieback,
 1st rept. on this host (Md.), 145
 Senna, see *Cassia tora*
Septoria avenae, 151
 Smut, of oats, 151
 Soft rot, of *Caladium bicolor*, 161; sweet-
 potato, 170
 Some new and important plant disease
 occurrences and developments in the
 United States in 1954. Suppl. 235, pp.
 135-175

- Sorghum: covered kernel smut, 152
 South America, 47
 South Carolina, 141, 148, 159, 160, 166, 167, 168, 169, 170, 171
 South Dakota, 174, 175
 Southern blight, of tomato, 172; *Zinnia elegans*, 163
 Soybean: *Heterodera glycines*, 1st rept. on this host in this country (N. C.), 144; pod and stem blight, 156; purple stain, 156
 Spergon, 155, 156
 Sphaceloma sp., on *Ilex cornuta*, 146
 Sphacelotheca sorghi, 152
 Sphaeralcea angustifolia: *Verticillium* wilt, 1st rept. from New Mexico, 143
 Sphaerotheca, 131
 --- humuli, 158
 --- pannosa, 159
 Spain, 104
 Spinach: bacterial soft rot, 175
 Squash, summer: leaf and stem blight, 170
 Stem rust, of oats, 151; wheat, 152
 Stemphylium botryosum f. lactucum n. f., 171
 --- floridanum, 150
 --- solani, 172
 Stewart's disease, of corn, 154
 Stone fruit viruses: use of antimetabolites for control of, 131
 Storage rot, of peach, 159
 Strawberry: *Gnomonia fructicola*, 1st rept. from Maine, 141; new disease (resembling aster yellows virus), 1st rept. in U. S. (Ark.), 143; powdery mildew, 158; red stele, 158; virus diseases, 158; *Verticillium*, 127
 Streptomyces scabies, 174
 Streptomycin, 162, 170, 173, 175; role in combating infections of plants, 128
 --- nitrate, 158, 168
 --- sulfate, 158, 168
 Streptomycin-Terramycin mixtures, 160
 Stromatinia gladioli, 162
 Sugar beet: curly top (virus), 166
 Sugarcane: red rot, 168
 Sweetclover, see *Melilotus*
 Sweetpotato: feathery mottle (virus), 171; internal cork (virus), 171; soft rot, 170
 Synchytrium stem gall disease, of *Ricinus communis*, 148
 Systemic chemicals. Suppl. 234, pp. 122-134
 Systemics and toxicology, 132
 Systox, 171
 Taxus baccata: *Phytophthora* root rot, 164
 --- cuspidata: *Phytophthora* root rot, 164
 Tennessee, 165, 166, 167, 168
 Terramycin, 158, 160
 Texas, 143, 146, 148, 150, 153, 154, 157, 162, 166, 167, 168, 170, 171, 172, 174
 Thielaviopsis basicola, 141, 145, 146, 147, 150, 161, 166; on *Ulmus americana*, 148
 Thread blight, of *Aleurites fordii*, 158; *Ficus carica*, 157
 Thuja occidentalis: black mold, 154
 --- orientalis: black mold, 164
 Tilletia sp., 153
 --- brevifaciens, 155
 --- caries, 140, 144, 153
 --- cerebrina, on *Deschampsia*, 155
 --- foetida, 153
 Tipburn and rib discoloration, of lettuce, 171
 Tobacco: black shank, 167; blue mold, 132, 167; *Pythium* rot, 168; tobacco mosaic virus, 168; wildfire, 168
 Tolmiea menziesii, powdery mildew, 1st rept. on this host (Oregon), 147
 Tomato: bacterial canker, 171; bacterial spot, 172; blossom-end rot, 172; curly top (virus), 169; damping-off, 172; *Fusarium* wilt, 171; gray leaf spot, 171, 172; *Heterodera marioni*, 171; late blight, 172
 Tomato late blight: its world distribution and present status. Suppl. 231, pp. 1-91
 Tomato: leaf spot, *Stemphylium floridanum* Hannon & Webber (Fla.), 150; *Meloidogyne incognita*, 171; nailhead spot, 171; *Orobanche ramosa*, 172; southern blight, 172; *Tylostoma berterioanum* (puffball), 1st rept. on this host in this country (Tex.), 150; yellow-net (virus), 172
 ---, cherry: late blight, highly resistant to, 172
 Tribulus terrestris: *Verticillium* wilt, 1st rept. from New Mexico, 143
 Trifolium hybridum: yellow bean mosaic (inoc. expts. 1st rept. on this host in U. S., Idaho), 144
 --- pratense: anthracnose, 156; black patch, 157; *Curvularia* leaf spot, 1st rept. on this host in U. S., (Md., Fla.), 144; *Gliocladium roseum*, 157; *Phoma*, 157; *Rhizoctonia*, 157; root rot, 156
 --- repens: diseases in Alabama, 157
 --- --- var. Ladino: phyllody in Maine, 157

Trisetum spp.: diseases in Alaska, 102
 Triticum aestivum: diseases in Alaska, 102
 Tuberculina persicina, 163
 Tylenchulus semipenetrans, 159
 Tylostoma berteroanum, on tomato, 150
 Typhula itoana, 155

Ulmus spp.: Dutch elm disease, 166:
 Thielaviopsis root rot, 161

--- americana: Thielaviopsis root rot, 1st rept. on this host (Md.), 148

Ucinula necator, 161

Uromyces phaseoli, 173

Ustilago avenae, 151

--- kollerii, 151

--- nuda, 152

--- tritici, 153

Valsaria megalospora, on Alnus glutinosa, 149

Verticillium, 127, 143, 167

--- albo-atrum, on eggplant and okra, 174

Vicia villosa: Pratylenchus penetrans, 157; yellow bean mosaic (inoc. expts. 1st rept. on this host in U.S., Idaho), 144

Vigna sinensis: virus diseases, 157

Viola tricolor: aster yellows virus, 1st rept. on this host (Md.), 147

Virginia, 148, 151, 152, 156, 167, 168

Virus diseases, of cucurbits, 170; grape 161; Crotalaria, 157; Gladiolus spp., 163; Prunus spp., 159; strawberry, 158; Vigna sinensis, 157

--- ---: aster yellows of Hydrangea macrophylla (Oreg.), 146; Viola tricolor, 147

--- ---: big vein of lettuce, 171

--- ---: blight injury (tomato aspermy) to chrysanthemum, 162

--- ---: blue dwarf and red leaf of oats, 151

--- ---: bunch disease of pecan, 141

--- ---: color test for, 169

--- ---: curly top of bean, 169; red pepper, 169; sugar beet, 166; tomato, 169

--- ---: feathery mottle of sweetpotato, 171

--- ---: "freckles", strains of virus X associated, 175

--- ---: internal cork of sweetpotato, 171

--- ---: leaf crumple of cotton, 167

--- ---: (mosaics) alfalfa mosaic of legumes, 155; apple mosaic of peach, 160; Laburnum vein-mosaic of Laburnum alpinum in Md., 149; mosaic of bean, 173; mosaic of Rubus procerus, 160; mosaic of wheat, 153; stripe mosaic of barley, 152; tobacco mosaic of Digitalis lanata, 166; tobacco mosaic

of tobacco, 168; wheat streak mosaic, 140; yellow bean mosaic (bean virus 2) of bean and sweetclover, 173; yellow bean mosaic (bean virus 2) of Crotalaria spectabilis, Lupinus densiflorus, Medicago lupulina, Trifolium hybridum, Vicia villosa, 144

--- ---: phony peach of peach, 160

--- ---: rasp leaf of sweet cherry, 141

--- ---: ring pox of apricot, 159

--- ---: ring spot of chrysanthemum, 145

--- ---: rosette of Liliun longiflorum, 163

--- ---: spotted wilt of Dahlia sp., 162

--- ---: stone fruit viruses, use of anti-metabolites for control of, 131

--- ---: strains of tobacco etch virus on Cassia tora, 155

--- ---: stunt of corn, 154

--- ---: tomato ring spot of hydrangea, 163

--- ---: tristeza virus of Citrus reticulata, 157

--- ---: variegation of Camellia spp., 162

--- ---: western aster yellows of gladiolus, 142

--- ---: western X-disease of peach, 160

--- ---: wart of peach, 160

--- ---: X-disease of peach, 160

--- ---: yellow-net of tomato, 172

--- ---: yellow spot of potato, 175

Washington, 140, 146, 147, 151, 152, 153, 156, 159, 160, 163, 173

Watermelon: fruit rot, 170; sunburn, 170

Weather of 1954, general 136; destructive storms, 137; drought, 136; maps, 138, 139; precipitation, 136; temperature, 137

Weather injuries: sunburn of watermelon, 170

West Virginia, 140, 141, 142, 154, 161

Western gall rust, of Pinus ponderosa, 164

Wheat: Ceropsorella foot rot, 152;

Cercosporella herpotrichoides, 1st

rept. from New York, 140; crown and

basal stem rot, 152; dryland root rot,

152; dwarf bunt, 153; leaf rust, 104,

152; loose smut, 153; mosaic viruses,

153; Polymyxa graminis, 152; powdery

mildew, 152; seed treatment, 152;

stem rust, 152; twist (Dilophospora

alopecuri), 1st rept. from Georgia, 140;

wheat streak mosaic (virus), 1st rept.

from Washington, 140

Wildfire, of tobacco, 168

Wilt, oak, of Quercus spp., 165

Wisconsin, 156, 161, 165, 166, 171

Wrinkled seed coat, of lima bean, 173

Wyoming, 173

Xanthium commune: Verticillium wilt, 1st rept. from New Mexico, 143

Xanthomonas campestris, 169
 --- malvacearum, 167
 --- pelargonii, 163
 --- phaseoli, 128, 173
 --- pruni, 160
 --- striaformans, 150
 --- vesicatoria, 129, 170, 172

Yellows, of cabbage, 169
 Zineb, 170, 171
 Zineb tobacco dust, 167
 Zineb-pyrophyllite dust, 167
 Zinnia elegans: southern blight, 163
 --- pauciflora and Z. verticillata:
 powdery mildew, 1st rept. on these
 hosts in this country (Mich.), 148

ERRATA

On page 128, next to last paragraph, read (Xanthomonas phaseoli) instead of (Xanthomonas phaesoli).

On page 144, read AGROPYRON CRISTATUM instead of AGROPYTON CRISTATUM

On page 161, next to the last paragraph, read Scindapsus aureus instead of Scindapus aureus. Also read Gerbera jamesonii instead of Gerba jamesonii.

On page 168, read PARTHENIUM ARGENTATUM. GUAYULE: instead of PARTHENIUM ARGENTATUM. GUYULE:

On page 168, under SACCHARUM OFFICINARUM. read Fusarium moniliforme, instead of Fusarium moniliforne.

On page 175, read SPINACIA OLERACEA. SPINACH: instead of SPINACH: OLERACEA. SPINASH:











